

AMPIMEG 125 XP

Ampicillin Oral Suspension

125 mg / 5 ml

Composition:

Each 5ml Suspension after reconstitution contains:

Ampicillin Trihydrate BP

Eq. to Ampicillin 125 mg

Excipients: Q.S.

Color: Sunset Yellow FCF

Description: Ampicillin is a semi-synthetic penicillin, a broad spectrum antibiotic effective against a wide range of Gram-positive and Gram-negative bacteria. It is stable in the presence of acid gastric cancer and is well absorbed from the G.I.T. Ampicillin is largely excreted unchanged in the urine and is inactivated by penicillinase producing organisms.

Indications: Respiratory, genito-urinary, gastrointestinal, cutaneous, soft tissue and generalized systemic infections.

Dosage: Adults: 250-500 mg 8 hrly or as required.

Children: 125-250 mg 6 hrly or according to age.

Children: 50-150 mg/kg body weight in 2-4 divided doses.

Contraindications: Hypersensitivity to penicillin.

Special Precautions: Infectious mononucleosis, allergic and anaphylactic reactions. Periodic evaluation of renal function, hepatic functions and blood counts. Concomitant use of allopurinol.

Pediatrics Pregnancy/Breastfeeding/Elderly: Safety.

Side-Effects: Skin rash, pruritus, urticaria and GI upset diarrhea.

Drug Interactions: Concomitant use with oral contraceptives may lead to breakthrough bleeding or pregnancy. Reduced effect by bacteriostatic agents. Probenecid increases blood levels. Synergy with Clavulinic Acid. Food interferes with absorption.

HOW TO USE: Slowly add boiled and cooled water up to the mark on the bottle, shake to disperse the powder and add more water if necessary to adjust to the mark to obtain 100 ml of suspension. Shake before use Use reconstituted suspension within 7 days

Storage: Store at a temperature below 30°C and in a dry place, protected from light.

Store the reconstituted suspension in the refrigerator.

Package size: 100 ml bottle

Manufactured in India:



US Pharma[®]

(INDIA) Private Limited
Pioneering Excellence. Redefining Quality.
www.uspharma.in