

Zenkof[®]

COUGH
EXPECTORANT

100 ml

Composition:

Each 5 ml contains:

Chlorpheniramine Maleate BP 2.2 mg

Ammonium Chloride BP 110 mg

Sodium Citrate BP 50 mg

Menthol USP 1.1 mg

Flavored syrup base q.s.

Color: Approved color used.

Indications:

Symptomatic treatment of allergic reactions in children.

Dosage: Children under 5 years: ½ tablespoon 2–4 times daily.

- Children over 5 years: 1 tablespoon 2–4 times daily.

- Adults: 1–3 tablespoons 2–4 times daily.

Or as directed by a physician.

Side Effects:

Drowsiness, fatigue, dizziness, dry mouth, and blurred vision.

High doses may cause confusion and ataxia.

Notes and Precautions:

(1) Warn patients about the risks of driving vehicles or performing activities requiring quick reflexes.

(2) Potentiates the effects of alcohol and sedatives.

(3) Use with caution in children and the elderly, and in patients with glaucoma or prostatic hypertrophy.

(4) Avoid during pregnancy, especially the first trimester, and during lactation.

Risk of sedative effects in the nursing infant. High doses may inhibit lactation.

Contraindications:

Do not use in patients with active peptic ulcer or infections (especially viral) without adequate therapeutic coverage. Avoid or use with great caution and strict supervision in patients with: heart failure, uncontrolled hypertension, psychosis or psychiatric history, diabetes mellitus, history of peptic ulcer, osteoporosis, or glaucoma.

Storage: Store below 30°C in a dry place; protect from light. SHAKE BEFORE USE

Keep medicines out of the reach of children.

® Registered Trade Mark.

Manufactured by :



US Pharma[®]
(INDIA) Private Limited

Pioneering Excellence. Redefining Quality.
www.uspharma.in